

RIGID DOOR STOP



- **61MB:** Solid brass.
• Projection: 3-1/8".
- **SP61A:** Aluminum.
- **61Z:** Zinc.
- Projection: 3-3/16".

ORDER #	FINISH	PKG.	UNIT
61MB3	POL. BRASS	10	EACH
61MB5	ANT. BRASS	10	EACH
61MB10B	OIL RUBBED BRZ.	10	EACH
61MB15	SATIN NICKEL	10	EACH
61MB15A	ANT. NICKEL	10	EACH
61MB19	FLAT BLACK	10	EACH
61MB26	POL. CHROME	10	EACH
SP61A3	POL. BRASS	20	EACH
61A19	MATTE BLACK	20	EACH
61Z-716E	AGED BRONZE	10	EACH
61Z-619E	SATIN NICKEL (2/PK)	20	PAIR
RTWHITE	REP. RUBBER TIP	20	EACH

RIGID DOOR STOP

- Solid brass.
- Gray & white tips included.



ORDER #	PROJ.	FINISH	ORDER #	PROJ.	FINISH	PKG.	UNIT
BDS30U5	3-1/4"	ANT. BRASS	BDS425U5	4"	ANT. BRASS	10	EACH
BDS30U10B	3-1/4"	OIL RUBBED BRZ.	BDS425U10B	4"	OIL RUBBED BRZ.	10	EACH
BDS30U15	3-1/4"	SATIN NICKEL	BDS425U15	4"	SATIN NICKEL	10	EACH
BDS30U19	3-1/4"	FLAT BLACK	BDS425U19	4"	FLAT BLACK	10	EACH
BDS30U26	3-1/4"	POL. CHROME	BDS425U26	4"	POL. CHROME	10	EACH
BDS30U26D	3-1/4"	DULL CHROME	BDS425U26D	4"	DULL CHROME	10	EACH


RIGID "SHORT" DOOR STOP



- Solid brass.
- Projection: 1-1/2".

ORDER #	FINISH	PKG.	UNIT
BDS125U3	POL. BRASS	100	EACH
BDS125U5	ANT. BRASS	100	EACH
BDS125U10B	OIL RUBBED BRZ.	100	EACH
BDS125U15	SATIN NICKEL	100	EACH
BDS125U26D	DULL CHROME	100	EACH

SPRING DOOR STOPS



- Projection: 3-1/8".
- Includes screw & metal base.

ORDER #	FINISH	PKG.	UNIT
25-4671B	POL. BRASS	100	EACH
25-4671N	POL. NICKEL	100	EACH

SPRING DOOR STOPS



- Spring steel, heavy duty.
- Projection: 3-3/4".

ORDER #	FINISH	PKG.	UNIT
SDS375U3	POL. BRASS	50	EACH
SDS375U5	ANT. BRASS	50	EACH
SDS375U10B	OIL RUBBED BRZ.	50	EACH
SDS375U15	SATIN NICKEL	50	EACH
SDS375U15A	ANT. NICKEL	50	EACH

SPRING DOOR STOPS



060F

063F

- Made from wrought steel.
- Replaceable tip.
- **060F:** 3" proj.; **63F:** 3-1/8" proj.

ORDER #	FINISH	PKG.	UNIT
060F3	POL. BRASS	20	EACH
63F-406E	MATTE BLACK	20	EACH
63F-716	AGED BRONZE	20	EACH

SPRING DOOR STOPS

BHP



- Projection: 1-1/2".
- Includes screw.

ORDER #	FINISH	PKG.	UNIT
504SN	SATIN NICKEL	500	EACH
404ORB	OIL RUBBED BRZ.	500	EACH

RUBBER DOOR STOP

shepherd



- 2/card.

ORDER #	FINISH	PKG.	UNIT
9132	BROWN	6	CARD

ADHESIVE BACKED WALL STOP

IVES




- Outside Diam: 1-7/8".
- Projection: 5/8".
- White rubber.

ORDER #	COLOR	PKG.	UNIT
411R-W	WHITE	20	PK.

WALL BUMPER - CONVEX

HAGER



- Outside Diam: 2-7/16".
- Projection: 1-3/16".
- Material: cast brass/rubber.

ORDER #	FINISH	PKG.	UNIT
230W US3	BRIGHT BRASS	1	EACH
230W US10B	OIL RUBBED BRZ.	1	EACH
230W US26	BR. CHROME	1	EACH
230W US26D	DULL CHROME	1	EACH

WALL BUMPER - CONCAVE

HAGER



- Outside Diam: 2-7/16".
- Projection: 1-3/16".
- Material: cast brass/rubber.

ORDER #	FINISH	PKG.	UNIT
234W US3	BRIGHT BRASS	1	EACH
234W US10B	OIL RUBBED BRZ.	1	EACH
234W US26	BR. CHROME	1	EACH
234W US26D	DULL CHROME	1	EACH

SMALL WALL BUMPER


HAGER



- Outside Diam: 1".
- Projection: 1/2".
- Material: wrought brass/rubber.

ORDER #	FINISH	PKG.	UNIT
250W US3	BRIGHT BRASS	1	EACH
250W US26D	DULL CHROME	1	EACH

DOME DOOR STOPS



- Diameter: 1-3/4".
- Base: 1/8" thick.
- Height: 1".
- Material: Die cast brass.

HAGER

ORDER #	FINISH	PKG.	UNIT
241F US3	BRIGHT BRASS	1	EACH
241F US10B	OIL RUBBED BRZ.	1	EACH
241F US26D	DULL CHROME	1	EACH



- Diameter: 1-3/4".
- Base: 1/2" thick.
- Height: 1-1/4".
- Material: Die cast brass.

HAGER

ORDER #	FINISH	PKG.	UNIT
243F US3	BRIGHT BRASS	1	EACH
243F US10B	OIL RUBBED BRZ.	1	EACH
243F US26D	DULL CHROME	1	EACH

FLOOR STOP



- Base: 2-7/16" dia.
- Height: 3".
- Material: cast brass.

ORDER #	FINISH	PKG.	UNIT
267F US3	BRIGHT BRASS	1	EACH
267F US10B	OIL RUBBED BRZ.	1	EACH
267F US26D	DULL CHROME	1	EACH



FLOOR STOP



- Base: 1-1/2" x 2-7/16".
- Height: 2".
- Material: forged brass.

ORDER #	FINISH	PKG.	UNIT
257F US10B	OIL RUBBED BRNZ.	5	EACH
257F US26D	DULL CHROME	5	EACH



RIGID BASE DOOR STOP



- Base: 2-7/16" dia.
- Projection: 3-5/8".
- Material: cast brass.

ORDER #	FINISH	PKG.	UNIT
255W US3	BRIGHT BRASS	1	EACH
255W US10B	OIL RUBBED BRZ.	1	EACH
255W US26D	DULL CHR.	1	EACH



DOOR STOP & HOLDER



- Base: 2-1/4".
- Projection: 3-13/16".
- Keeper: 13/16" x 1-1/2".
- Material: cast brass.

ORDER #	FINISH	PKG.	UNIT
256W US26D	DULL CHROME	1	EACH



FLOOR STOP/HOLDER



- Base: 2-1/4".
- Height: 3-5/16".
- Keeper: 13/16" x 1-1/2".
- Material: cast brass.

ORDER #	FINISH	PKG.	UNIT
268F US3	BRIGHT BRASS	1	EACH
268F US10B	OIL RUBBED BRZ.	1	EACH
268F US26D	DULL CHROME	1	EACH



EXTRA HEAVY-DUTY FLOOR STOPS



DSF600



DSF630

- Base diam: 3".
- Height: 6".
- Material: solid brass.



ORDER #	FINISH	PKG.	UNIT
DSF600U15	SATIN NICKEL	20	EACH
DSF600U10B	OIL RUBBED BRZ.	20	EACH
DSF630U15	SATIN NICKEL	20	EACH
DSF630U10B	OIL RUBBED BRZ.	20	EACH
DSF630U26D	DULL CHROME	20	EACH



MAGNETIC DOOR HOLDERS



MDH30



MDH35

- Solid brass.
- Floor or wall mounted.
- Concealed screw mount.
- **MDH30**: Proj: 3"; base diam. 1-3/4".
- **MDH35**: Proj: 3-1/2", base 1-9/16".
- **MDH35**: extra strong magnet for doors up to 10' tall, spring loaded receptor to absorb shock.

ORDER #	DESCRIPTION	PKG.	UNIT
MDH30U3	POL. BRASS	1	EACH
MDH30U5	ANT. BRASS	1	EACH
MDH30U10B	OIL RUBBED BRZ.	1	EACH
MDH30U15	SATIN NICKEL	1	EACH
MDH30U15A	ANTIQUENICKEL	1	EACH
MDH30U19	FLAT BLACK	1	EACH
MDH30U26	POL. CHROME	1	EACH
MDH30U26D	BRUSHED CHROME	1	EACH
MDH35U10B	OIL RUBBED BRZ.	1	EACH
MDH35U15	SATIN NICKEL	1	EACH

MAGNETIC DOOR STOP & HOLDER




see demo video online!
[HardwareHut.com](http://www.HardwareHut.com)
a division of Spokane Hardware Supply, Inc.

- Solid brass.
- Hands-free magnetic door stop/holder. Open the door and a strong magnet will keep it open until you close it. Not for use on doors with spring hinges or door closers.
- Holder Size: 2-1/4"W x 5/8"H
- Base Size: 2-1/2" diameter.

ORDER #	DESCRIPTION	PKG.	UNIT
MDHF25U3	POL. BRASS	1	EACH
MDHF25U5	ANT. BRASS	1	EACH
MDHF25U10B	OIL RUBBED BRZ.	1	EACH
MDHF25U15	SATIN NICKEL	1	EACH
MDHF25U19	FLAT BLACK	1	EACH
MDHF25U26	POL. CHROME	1	EACH
MDHF25U26D	BRUSHED CHROME	1	EACH

HINGE PIN DOOR STOP



- For 85° to 125° opening.
- For 1/4" or 5/16" hinge pins.

ORDER #	FINISH	PKG.	UNIT
70A3	BRIGHT BRASS	25	EACH
70A10B	OIL RUBBED BRZ.	20	EACH
70A14	BRIGHT NICKEL	20	EACH
70A-W	WHITE	20	EACH
70Z-406E	MATTE BLACK	25	EACH
RTWHITE	REPLACEMENT TIP	20	EACH


HINGE PIN DOOR STOP



- Adjustable for door opening, 85° to 125°.
- For 3/16" or 1/4" hinge pins.
- Zinc, die cast base metal.

ORDER #	FINISH	PKG.	UNIT
ZHP70U10B	OIL RUB BRONZE	30	EACH
ZHP70U15	SATIN NICKEL	30	EACH
ZHP70U15A	ANTIQUENICKEL	30	EACH
ZHP70U26	BRIGHT CHROME	30	EACH

DOOR SAVER HINGE PIN STOPS



- Will not damage or mar doors like other hinge pin stops.
- Unique design uses the hinge to stop the door without actually touching the door.

ORDER #	FINISH	PKG.	UNIT
25-B4614SP-AB	ANT. BRASS	50	EACH
25-B4614SP-AN	ANT. NICKEL	50	EACH
25-B4614SP-ORB	OIL RUBBED BRZ.	50	EACH
25-B4614SP-PB	POL. BRASS	50	EACH
25-B4614SP-PC	POL. CHROME	50	EACH
25-B4614SP-SN	SATIN NICKEL	50	EACH

DOOR HOLDERS - CAST BRASS



- Base: 1-5/8" x 1-3/4".
- Arm: 4-3/4".
- Material: cast brass.

ORDER #	FINISH	PKG.	UNIT
271D US10B	OIL RUBBED BRZ.	5	EACH
271D US3	BRIGHT BRASS	5	EACH
271D US26D	DULL CHROME	5	EACH



DOOR HOLDERS - CAST IRON



replacement tip

- Base: 1-7/16" x 2-1/8".
- Arm: 4-1/8".
- Material: cast iron - sprayed finish.

ORDER #	FINISH	PKG.	UNIT
270C SPBRASS	SPRAYED BRASS	1	EACH
270C SPBRZ	SPRAYED BRNZ.	1	EACH
270C SPAL	SPRAYED ALUM.	1	EACH
270CR	RUBBER TIP	1	EACH
270R	RUBBER TIP FOR #1144 OLD STYLE HOLDERS	1	EACH



DOOR HOLDERS - ALUMINUM



- Arm: 4".
- Material: aluminum.

ORDER #	FINISH	PKG.	UNIT
455A92	ALUMINUM	10	EACH




We offer a huge selection of door stops
online. Visit our online catalog today
at www.thehardwarehut.com



Hardware Hut.com
a division of Spokane Hardware Supply, Inc.

MAGNETIC DOOR HOLDER



- Wall mount.
- Standard doors.
- Concealed wiring.
- Mounting requirement: 2" x 4" - 1-3/4" outlet box.

REXSON®

ORDER #	FINISH	PKG.	UNIT
FM998AL	ALUMINUM	1	EACH

OVERHEAD DOOR HOLDER - MEDIUM DUTY

GLYNN-JOHNSON



- Surface mounted.
- Designed for medium to light-duty applications. Ideal for openings that are subject to normal activity, providing protection for the door, frame, hinges and surrounding walls or obstructions.

Door Opening with Butts/Offset Pivots: 33-1/16"-39"
Door Opening Center Hung: 39-1/16"-45" doors.

ORDER #	FINISH	PKG.	UNIT
454S 26D	DULL CHROME	1	EACH

OVERHEAD DOOR HOLDER - HEAVY DUTY

GLYNN-JOHNSON



- Rugged design for heavy-duty applications.
- Surface mounted; hold open, stop only, friction functions.
- Selective, adjustable hold open mechanism.
- Interchangeable functions.
- Improved compatibility with door closers.
- Exceeds all criteria for BHMA Grade 1 Holders/Stops.

Door Opening with Butts/Offset Pivots:


· 903H: 27-1/16"-33"; 904H: 33-1/16"-39"

Door Opening Center Hung:

· 903H: 33-1/16"-39"; 904H: 39-1/16"-45"

ORDER #	FINISH	PKG.	UNIT
903H-US32D	STAINLESS	1	EACH
904H-US32D	STAINLESS	1	EACH

DOOR SILENCERS



307D: Silencer for metal frames.

· Diameter: 1/2".

· Length: 11/16".

308D: Silencer for wood frames.

· Size: 3/8" x 3/4".

· Length: 3/4".



ORDER #	FINISH	PKG.	UNIT
307D	GREY	1	EACH
308D	GREY	1	EACH

We offer a huge selection of products online.

Visit our online catalog today
 at www.thehardwarehut.com



Hardware Hut.com
 a division of Spokane Hardware Supply, Inc.