


## CAULK GUNS



- 341: Acu-Vac™ No-Drip gun with variable power.
- 791Z, 792Z: Traditional piston-smooth caulking gun, great value.
- 784, 789: "PRO" Contractor's Choice, piston-smooth, easy to handle.

ORDER #	FRAME	SIZE	PKG.	UNIT
341	1/2 BARREL	11 OZ.	24	EACH
791 Z	1/2 BARREL	QUART	6	EACH
792 Z	1/2 BARREL	11 OZ.	24	EACH
784	SKELETON	QUART	6	EACH
789	SKELETON	11 OZ.	24	EACH

**Z-PRO®**

## ALEX™ PAINTER'S ACRYLIC LATEX CAULK



- Multi-purpose caulk for the special needs of painters.
- Exterior/interior use.
- Paintable.
- 25 year durability.

ORDER #	SIZE	COLOR	PKG.	UNIT
18670	10.3 OZ.	WHITE	12	EACH

## ALEX PLUS™ ACRYLIC LATEX CAULK PLUS SILICONE



- Multi-purpose caulk for the special needs of painters.
- Exterior/interior use.
- Moisture & mildew resistant.
- Paintable.
- 35 year durability.

ORDER #	SIZE	COLOR	PKG.	UNIT
18152	10.3 OZ.	WHITE	12	EACH
18120	10.3 OZ.	BROWN	12	EACH
18118	10.3 OZ.	SLATE GRAY	12	EACH
18122	10.3 OZ.	CEDAR TAN	12	EACH
18124	10.3 OZ.	DARK BRNZ.	12	EACH
18126	10.3 OZ.	BLACK	12	EACH
18130	10.3 OZ.	ALMOND	12	EACH
18401	10.3 OZ.	CRYSTAL CLEAR	12	EACH

## SILICONE PLUS™ PREMIUM SILICONE RUBBER KITCHEN & BATH SEALENT



- Creates a long-lasting watertight seal with superior flexibility and adhesion to a variety of building materials.
- When cured, it is mold and mildew resistant and will not crack or shrink.
- Low odor.
- Lifetime Guarantee.

ORDER #	SIZE	COLOR	PKG.	UNIT
08770	10.1 OZ.	WHITE	12	EACH
08781	10.1 OZ.	CLEAR	12	EACH

## DYNAFLEX 230™ PREMIUM ELASTOMERIC SEALANT



- Dap's best latex sealant.
- Combines silicone-like performance with latex ease of use.
- Weatherproof, watertight seal.
- Excellent adhesion and flexibility.
- Paintable.
- 50 year durability.

ORDER #	SIZE	COLOR	PKG.	UNIT
18275	10.3 OZ.	WHITE	12	EACH
18412	10.3 OZ.	CEDAR TAN	12	EACH
18418	10.3 OZ.	BROWN	12	EACH
18286	10.3 OZ.	ALUM. GRAY	12	EACH
18420	10.3 OZ.	DARK BRNZ.	12	EACH
18304	10.3 OZ.	CLEAR	12	EACH
18288	10.3 OZ.	ALMOND	12	EACH

## DOW CORNING® SILICONE - 100% SILICONE SEALANT



- 100% silicone rubber.
- Minimal shrinkage.
- Excellent adhesion.
- 50 year durability.

ORDER #	SIZE	COLOR	PKG.	UNIT
00684	2.8 OZ.	CLEAR	12	EACH
08646	10.3 OZ.	WHITE	12	EACH
08641	10.3 OZ.	CLEAR	12	EACH
08642	10.3 OZ.	BLACK	12	EACH
08643	10.3 OZ.	ALUMINUM	12	EACH
08647	10.3 OZ.	BRONZE	12	EACH
08649	10.3 OZ.	ALMOND	12	EACH

## DOW CORNING® SILICONE BATHTUB SEALANT - 100% SILICONE



- High-quality tub and tile sealant.
- Seals non-porous surfaces around ceramic tile and plumbing fixtures with 100% silicone rubber.
- Cured sealant is mildew resistant.
- Provides long-lasting flexibility and a watertight seal.

ORDER #	SIZE	COLOR	PKG.	UNIT
00680	2.8 OZ.	WHITE	12	EACH
08640	10.3 OZ.	WHITE	12	EACH
08648	10.3 OZ.	CLEAR	12	EACH

## DOW CORNING® TITANIUM™ - BATH SILICONE CAULK



- Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones.
- Offers superior adhesion to difficult surfaces such as PVC, tub surround plastic, painted wood and Formica® countertops.
- Cured sealant is mildew resistant.
- Lifetime Durability Guarantee.
- Meets ASTM Specification C 920, Class 25.

ORDER #	SIZE	COLOR	PKG.	UNIT
08681	10.2 OZ.	CLEAR	12	EACH

## KWIK-SEAL® TUB & TILE CAULK



- Mildew resistant.
- Water/moisture resistant seal.
- Strong adhesion.

ORDER #	SIZE	COLOR	PKG.	UNIT
18001	5.5 OZ.	WHITE	12	EACH
18008	5.5 OZ.	CLEAR	12	EACH
18013	5.5 OZ.	ALMOND	12	EACH

## KWIK-SEAL® PLUS™ BATH SEALANT



- Kitchen & bath all-purpose caulk.
- Mildew and crack proof guarantee.
- Extra strong seal.
- DAP CAP™ for smooth, professional finish.

ORDER #	SIZE	COLOR	PKG.	UNIT
18526 D	5.5 OZ.	WHITE	12	EACH
18539	5.5 OZ.	ALMOND	12	EACH

## KWIK-SEAL® 3.0



- Advanced kitchen and bath adhesive caulk specially formulated with Kwik Dry® Technology allowing it to be exposed to water and moisture after only three hours without washing out
- Will not crack or shrink, and provides excellent adhesion, flexibility and durability for a waterproof seal.
- Contains Microban® antimicrobial product protection which fights the growth of stain & odor-causing mold & mildew.
- Low odor and low VOC content.
- Paintable and backed by a lifetime guarantee.



ORDER #	SIZE	COLOR	PKG.	UNIT
00790	9.8 OZ.	WHITE	12	EACH

## PHENOSEAL® DOES IT CLEAR® ACRYLIC SEALANT



- Phenoseal does it clear!™ Styrene Acrylic Water-based Sealant provides a mildew resistant seal for all kitchen and bath jobs.
- Provides maximum protection from moisture damage and mildew growth when cured.
- It won't crack or discolor with age and may be scrubbed with most household cleansers.
- Used for tubs, shower surrounds, sinks, backsplashes, countertops, plumbing fixtures, soap dishes, vanities and boat/marine upkeep (use only above waterline).

ORDER #	SIZE	COLOR	PKG.	UNIT
00602	10 OZ.	CLEAR	12	EACH

## PHENOSEAL® DOES IT ALL® VINYL ADHESIVE CAULK



- The #1 request and preferred caulk.
- Bonds, caulks, or seals all common building materials, providing a tough-yet-flexible material for a thousand different jobs.
- Mildew and rust resistant when cured, paintable, nontoxic, and nonflammable.
- Resists mild acids, alkalis, salt water, oil, gasoline, and many other solvents.

ORDER #	SIZE	COLOR	PKG.	UNIT
00005	10 OZ.	WHITE	12	EACH
00006	10 OZ.	CLEAR	12	EACH
16102	10 OZ.	BONE	12	EACH

## DOW CORNING® SIDE WINDER™



- Advanced polymer formula siding sealants deliver excellent performance on vinyl, fiber cement, aluminum and wood siding.
- Permanently flexible.
- Wet weather and low temperature application.
- No shrink and virtually no VOC's (less than 1 percent).
- Interior/exterior use. Paintable.
- Meets ASTM Specification C 920.



ORDER #	SIZE	COLOR	PKG.	UNIT
00801	10.1 OZ.	WHITE	12	EACH
00807	10.1 OZ.	LT. GRAY	12	EACH
00810	10.1 OZ.	TAN	12	EACH
00816	10.1 OZ.	CLEAR	12	EACH
00823	10.1 OZ.	CEDAR	12	EACH

## PREMIUM POLYURETHANE SEALANT



- A one-part, moisture-curing, fast skinning commercial grade sealant.
- It is specially formulated to provide a permanent, waterproof seal when filling exterior gaps, joints and cracks. Offers superior adhesion to a variety of substrates and remains permanently flexible.
- Ideal for use on doors, windows, sidings, ducts and vents.
- Paintable; 50 year durability guarantee.



ORDER #	SIZE	COLOR	PKG.	UNIT
18810	10.1 OZ.	WHITE	12	EACH

## BLACK-TITE™ ROOF SEALANT



- Top quality asphalt-based sealant forms a long-lasting, watertight seal.
- Excellent weathering and adhesive qualities for sealing roof flashings, spotting shingles, repairing minor roof leaks.
- Resists sagging & cracking.



ORDER #	SIZE	COLOR	PKG.	UNIT
18268	10.3 OZ.	BLACK	12	EACH

## BUTYL-FLEX SEALANT



- Long-lasting, watertight sealant for gutters, lap joints, flashings, roof vents and corrugated roofing.
- USDA authorized for use in federally-inspected meat and poultry plants.
- Meets Fed. Spec. TT-C-1796A, Type I.



ORDER #	SIZE	COLOR	PKG.	UNIT
18182	10.3 OZ.	WHITE	12	EACH
18188	10.3 OZ.	ALUM. GRAY	12	EACH

**Our inside and outside sales staff is available to assist you with whatever your needs may be.**

## CONCRETE SEALANT



- Fills and seals cracks in concrete and masonry.
- Contains silicone for improved adhesion and water resistance.
- Repairs cracks in steps, driveways, sidewalks, mortar joints and similar surfaces.

ORDER #	SIZE	COLOR	PKG.	UNIT
18096	10.3 OZ.	LT. GRAY	12	EACH

## DOW CORNING® SILICONE PLUS™ CONCRETE MASONRY SEALANT



- Fills cracks & crevices in concrete and mortar with 100% silicone rubber.
- Repels moisture, resist weathering for years.
- Use in horizontal or vertical cracks.

ORDER #	SIZE	COLOR	PKG.	UNIT
08675	10.1 OZ.	GRAY	12	EACH

## DAP®tex™ LATEX FOAM



- Water cleanup.
- No solvent odors, no mess.
- Non-clogging applicator.
- Toolable and paintable.
- Flexible, durable seal.
- Reusable can.
- Interior and exterior use.
- Great for windows & doors.

ORDER #	SIZE	COLOR	PKG.	UNIT
18826	12 OZ.	WHITE	12	EACH

## KWIK FOAM® INSULATING SEALANT



- A one component, moisture cure, polyurethane foam insulation that expands to economically fill and seal large cavities.
- Stops air infiltration, will not degrade/shrink.
- Contains a flame retardant, meets Montreal Protocol 1987.

ORDER #	SIZE	COLOR	PKG.	UNIT
18230	12 OZ.	TAN	12	EACH
18232	24 OZ.	TAN	12	EACH

**New items are always being added.**  
**Please call us if you need an item not listed.**

## DAP® FIREBLOCK FOAM POLYURETHAN FOAM SEALANT



- Quickly fill and seal large gaps around vents, pipes, ducts and wires; and at wall-to-floor or ceiling-to-floor joints.
- For use in Type V residential construction, the foam is bright orange for easy code identification and expands 2-1/2 to 3 times its dispensed size.
- Just one can of this expanding foam yields up to fifteen large caulk tubes.



ORDER #	SIZE	COLOR	PKG.	UNIT
44242	12 OZ.	ORANGE	12	EACH

## FIRE STOP SEALANT



- Multi-purpose uses.
- Crack resistant.
- Flexible.
- Non-slumping formula.
- Ready to use.
- Certified for sealing around plumbing and wiring penetrations through fire-rated walls and floors.
- Single component silicone.



ORDER #	SIZE	COLOR	PKG.	UNIT
18806	10.1 OZ.	LT. GRAY	12	EACH

## BLOCKADE® FIRE RATED INTUMESCENT ACRYLIC LATEX SEALANT



- Meets ASTM E-814/UL 1479 specifications.
- Intumescent expansion fills void created by combustibile materials burned during a fire.
- Excellent adhesion to unprimed surfaces.
- Solids: 60% min.
- Service Temperature Range: 15°F to 120° F
- Application Temperature Range: 40°F to 120° F
- Tack Free Time: 2 to 4 hours
- Cure Time: 14 to 28 days depending on temperature, humidity, joint depth
- Density: 1.18 g/cc min
- Paintable: Yes - after 4 hours
- Consistency: Gun Grade
- Shelf Life: 12 months



ORDER #	SIZE	COLOR	PKG.	UNIT
18858	10.1 OZ.	RED	12	EACH

This is a comprehensive catalog of our major stock lines but it does not show all available product lines. If there is something you need that is not shown, we may be able to order it. Please call and we will do all we can to help. More products are also available online at [www.thehardwarehut.com](http://www.thehardwarehut.com).