

PLASTI-CUT® FILE



- Designed for maximum performance on decorative laminates, edge finishing and other plastics.
- Extra sharpness and hardness assure you of a long life of clean, fast filing.

PRACTICAL PRODUCTS CO.

ORDER #	LENGTH	PKG.	UNIT
PC-10F	10"	10	EACH

DUPLEX FILE



- Fast cut on one side equivalent to the Plasti-Cut file above, smooth cut on the other side.
- One safe edge without teeth.
- Wider body with straight sides.
- Integral rounded handle design.

PRACTICAL PRODUCTS CO.

ORDER #	LENGTH	PKG.	UNIT
PC10DX	10"	10	EACH

ALL PURPOSE FILE



- Fine, smooth cut one side (single cut) safe for filing into corners
- Coarse, fast cut other side (double cut).
- Spatula-shaped integral handle.
- Top quality industrial files, made in USA.

PRACTICAL PRODUCTS CO.

ORDER #	LENGTH	PKG.	UNIT
SM-10AP	10"	12	EACH

FILE HANDLE



- For safety, comfort, and efficiency, all files should be used with a handle.
- Allows use of the entire file cutting surface.
- Smooth white birch handle, long metal ferrule locked on.
- Reuse the same handle many times.

PRACTICAL PRODUCTS CO.

ORDER #	LENGTH	PKG.	UNIT
FH-124	5-1/2"	36	EACH

This is a comprehensive catalog of our major stock lines but it does not show all available product lines. If there is something you need that is not shown, we may be able to order it. Please call and we will do all we can to help. More products are also available online at www.thehardwarehut.com.

FASTCAP SNAP OFF TRIBLADE

FastCap



- Comes with 3 blades.
- Auto-locking blade.
- Rubber handle.

ORDER #	DESCRIPTION	PKG.	UNIT
TRIBLADE	SNAP-OFF KNIFE	1	EACH
TRI.BULK	REP. BLADES (10/PK)	1	PK

BUCKET 9MM SNAP-OFF KNIVES

Allway



- 50 knives/bucket.
- Stainless steel track, 13-point ABS plastic auto lock knife.

ORDER #	SIZE	CONTAINS	PKG.	UNIT
K13-50	9MM	50 13-PT. KNIVES	1	BOX

BUCKET 18MM SNAP-OFF KNIVES

Allway



- 25 knives/bucket.
- Stainless steel track, 7-point ABS plastic knife, locking button.

ORDER #	SIZE	CONTAINS	PKG.	UNIT
K7-25	18MM	25 7-PT. KNIVES	1	BOX

18MM SNAP-OFF BLADE

Allway



- 5 blades per card.
- 7 point blades.

ORDER #	BLADE SIZE	FITS KNIFE #	PKG.	UNIT
K7B	18MM	K7 & SIMILAR KNIVES	10	CARD

UTILITY KNIFE

IRWIN.




- Durable 3 Position Design
- Magnetic nose for easy blade changes
- Storage for up to 5 blades

ORDER #	PKG.	UNIT
2082101	25	EACH

UTILITY KNIFE BLADE DISPENSER

IRWIN.




- 100 blades/dispenser.
- Carbon construction

ORDER #	PKG.	UNIT
2083200	5	EACH

SCORING KNIFE

PRACTICAL PRODUCTS CO.




- Reversible blade with carbide tip on each end.
- Use on laminate, plexiglas and most plastics, breaking drywall and removing grout from tiles.

ORDER #	LENGTH	PKG.	UNIT
SC-344B	6"	12	EACH

SPRING CLAMPS

"Pony" Adjustable™




- Poly-vinyl "protected" handles & tips for added comfort & to protect work from metal jaw tips.
- Steel jaws, heavily plated to prevent rust.

ORDER #	LENGTH	OPENING	PKG.	UNIT
3201-HT	4"	1"	144	EACH
3202-HT	6"	2"	72	EACH
3203-HT	9"	3"	36	EACH

ADJUSTABLE "C" CLAMPS

Adjustable™




- Malleable iron frames, for greatest strength.
- Steel screws with slide "vise type" handles.

ORDER #	OPENING	DEPTH	PKG.	UNIT
1430 A	3"	2"	48	EACH
1440	4"	3"	24	EACH
1450	5"	3-1/4"	24	EACH
1460	6"	3-1/2"	12	EACH

3-WAY EDGING CLAMP

Adjustable™




- For applying "right-angle" pressure to the edge, or side, of work.
- Unique 3-screw design.
- Malleable iron frame & steel screws and swivels.

ORDER #	OPENING	DEPTH	PKG.	UNIT
3325	2-1/2"	2-1/2"	12	EACH

PIPE CLAMP FIXTURES

"Pony" Adjustable™



- To be used on ordinary 3/4" black pipe.
- No holes, notches or rivets - just screw the head on regular pipe threads.
- Foot has multiple disc clutch.
- Clamp faces 1-3/4" square.

ORDER #	SIZE	PKG.	UNIT
50 A	3/4"	12	EACH




- Light service design.
- To be used on any length 1/2" black pipe.
- Head screws on regular pipe threads.
- Foot has multiple disc clutch.
- Clamping faces 1-1/2" square.

"Pony" Adjustable™

ORDER #	SIZE	PKG.	UNIT
52	1/2"	12	EACH

WEB CLAMP

"Pony" Adjustable™



- 15' x 1" wide, high strength nylon webbing enables perimeter clamping of round, rectangular and irregular shapes.
- Positive hold is afforded by the self-locking aluminum cam which allows instant release.
- Four cleverly designed steel "corners" assist in clamping mitered joints and protect the nylon band from sharp corners.
- A small steel wrench is also furnished to apply final clamping pressure.

ORDER #	SIZE	PKG.	UNIT
1215	15'	6	EACH


THE JACK



FLOORING



LIFT CABINETS




CLAMPING

- Originally designed as a method for lifting base cabinets in order to install shims or adjust leg levelers.
- Can also be used as a spreader, a heavy-duty clamp, a lift for installing or adjusting heavy entry doors, or used horizontally for pulling together hardwood flooring.

FastCap

ORDER #	PKG.	UNIT
THE JACK	1	EACH

BAR CLAMP




- Sliding head & fixed foot w/ 5" reach from edge of bar to center of screw.
- Multiple disc clutch for instant adjustment & secure hold.
- Bar: 1-3/8" x 5/16" spring steel.

"Jorgensen" Adjustable™

ORDER #	SIZE	PKG.	UNIT
4512	12"	6	EACH

BAR CLAMP PADS




- Pads slip onto the clamp fixtures & steel bar clamps to protect finished wood.
- Adjustable for clamp faces up to 1-3/4" wide.

"Jorgensen" Adjustable™

ORDER #	SIZE	PKG.	UNIT
7456	-	24	SET

BAR CLAMP - LIGHT DUTY





- Lightweight instant-acting bar clamp.
- Multiple disc clutch.
- Bar: 1/4" x 3/4" spring steel.

"Pony" Adjustable™

ORDER #	OPENING	PKG.	UNIT
3706	6"	6	EACH
3712	12"	6	EACH
3718	18"	6	EACH
3724	24"	6	EACH
3730	30"	6	EACH
3736	36"	6	EACH

E-Z HOLD II ® CLAMP




- Two clamps in one - easy conversion from bar clamp to spreader clamp.
- Spring loaded head maintains applied force.
- Thumb release clutch disc.
- Soft plastic pads.

"Jorgensen" Adjustable™

ORDER #	MAX. OPENING	PKG.	UNIT
3410	10"	6	EACH
3416	16"	6	EACH
3422	22"	6	EACH
3428	28"	6	EACH

FASTCAP 3RD HAND



FastCap

3rd Hand Features:

- Heavier gauge main shaft and extension rod.
- Small footprint for articulating feet.
- Ball-detent for positive locking with strong, ergonomic quick release lever.
- Great for cabinet installation and hanging drywall.
- Includes custom clip for holding dust barriers.
- 70 lb. load capacity.

ORDER #	SIZE	PKG.	UNIT
3-HAND-5'HD	5' - 12'	1	EACH
3-HAND-15.7HD	15.7" - 24.4"	1	EACH
3-H CARRYING BAG	FITS 4	1	EACH

FASTCAP BIG FOOT & DUST BARRIER



BIG FOOT FEATURES

- Allows the 3rd Hand HD and the Little Hand HD to free-stand.
- Use the BigFOOT on a Little Hand when installing upper cabinets.
- Can also be used successfully on the 3rd Hand when hanging drywall.
- Freestanding foot with oversized footprint.
- Under the 3rd Hand top foot is a barb for securing any plastic dust barrier.

FastCap

ORDER #	DESCRIPTION	PKG.	UNIT
3-H UNIVERSAL FOOT	FREE STANDING PLATFORM	1	EACH
3-HAND-DB CLIP	DUST BARRIER CLIP	1	EACH

CHALK REFILLS



IRWIN

- For all reel type chalk line boxes.
- Micro fine for more marking power.

ORDER #	SIZE	COLOR	PKG.	UNIT
64802	4 OZ.	RED	24	EACH
64901	8 OZ.	BLUE	24	EACH
64902	8 OZ.	RED	24	EACH

STRAIT-LINE® CHALK REEL



- Heavy-duty aluminum alloy case.
- Retractable self-locking metal handle allows reel to be used as a plumb bob
- Holds approximately 2 oz. of chalk

IRWIN

ORDER #	LENGTH	PKG.	UNIT
64110	100' REEL	6	EACH

STRAIT-LINE® SPEELINE CHALK REEL




- Retrieves chalk line 3-1/2 times faster than a standard chalk reel
- Lightweight ABS impact-resistant case increases durability
- Holds approximately 2 oz. of chalk

IRWIN

ORDER #	LENGTH	PKG.	UNIT
64310	100' REEL	6	EACH

STRAIT-LINE® TITE SNAP LINE




- For all reel type chalk line boxes.

IRWIN

ORDER #	LENGTH	PKG.	UNIT
64610	100' REEL	6	EACH

FASTCAP PAD TAPE



- Erasable note pad.
- Pencil sharpener.
- Ergonomic belt clip.
- Rugged rubberized case.
- Scratch resistant coating on 1" wide blades.

FastCap

ORDER #	TYPE	LENGTH	PKG.	UNIT
PS-16'	STANDARD	16'	1	EACH
PS-25'	STANDARD	25'	1	EACH
PMS.16'	METRIC/STD	16'	1	EACH
PMS.25'	METRIC/STD	25'	1	EACH
PSSR-16'	STANDARD	16'	1	EACH
PSSR-25'	STANDARD	25'	1	EACH
PSSP-16'	STANDARD	16'	1	EACH

SPEED CLIP




- Clips over pants or belt.
- Room for a pencil or pen.

FastCap

ORDER #	PKG.	UNIT
SPEEDCLIP	1	EACH

STICK DOWN TAPE



- Steel with stick-down adhesive backs.
- Available for many uses.
- Standard English rule.
- 0634RH-E, 1234RH-E: 3/4" wide
- 1212LH-E: 1/2" wide.

BIESEMEYER

ORDER #	LENGTH	HANDING	PKG.	UNIT
0634RH-E	6'	LH TO RH	1	EACH
1212LH-E/M	12'	RH TO LH	1	EACH
1234RH-E	12'	LH TO RH	1	EACH

STANDARD FLAGGING TAPE



- High-visibility plastic flagging tape with colorfast ink.
- Weatherproof for harsh outdoor conditions.

IRWIN

ORDER #	COLOR	PKG.	UNIT
65902	ORANGE	24	ROLL
65603	PINK-FLOW.	24	ROLL

MARKING CRAYONS



- Non-toxic, hexagonal, waterproof.
- Use on oily, slick, wet, cold or dry surfaces.

IRWIN

ORDER #	COLOR	PKG.	UNIT
66401	RED	12	EACH

CARPENTERS PENCIL



- Heavy duty "no-roll" construction.
- Ideal for marking and laying out.
- Medium lead makes dark, clear marking.
- Sharpens easily with any utility knife.

IRWIN

ORDER #	LEAD	PKG.	UNIT
66305SL	MEDIUM	72	EACH

Our inside and outside sales staff is available to assist you with whatever your needs may be.

COUNTER BRUSH

CARLISLE



- Gray flagged plastic - 8" brush, 13" overall.
- Picks up finest dust without scratching.

ORDER #	BRISTLE	PKG.	UNIT
7175	2-1/8"W	12	EACH

COUNTER BRUSH

PRACTICAL PRODUCTS CO.



- Use to clean dust that can contaminate fresh glue surfaces and applicators, and mar finished surfaces.
- Natural horsehair bristles, 12" overall length.

ORDER #	BRISTLE	PKG.	UNIT
BR-8	2-1/2"W	12	EACH

INDOOR BROOM - SOFT BRISTLE, FINE SWEEPING

CARLISLE



- Soft blue flagged plastic bristles, 24" long.
- 5' x 1-1/8" diam. bolt-on, heavy-duty hardwood handle.
- Wide angle metal brace for extra stability.
- Top performance for sweeping dust & light materials.

ORDER #	BRISTLE	PKG.	UNIT
7382	3" TRIM	4	EACH

GENERAL PURPOSE BROOM - MEDIUM SWEEPING

CARLISLE



- Floor sweep filled with blue plastic, center row of wire, 24" long.
- Resists oil and water.
- Popular for use on all hard floors except wood.
- 5' x 1-1/8" dia. bolt-on, heavy-duty hardwood handles.
- Wide angle metal brace for extra stability.

ORDER #	BRISTLE	PKG.	UNIT
7386	3" TRIM	4	EACH

HEAVY DUTY BROOM

CARLISLE



- Construction-street broom, stiff heavy duty plastic 24" long.
- For concrete & street work.
- 5' x 1-1/8" dia. bolt-on, heavy-duty hardwood handles.
- Wide angle metal brace for extra stability.

ORDER #	BRISTLE	PKG.	UNIT
7394	4-1/2" TRIM	4	EACH

HEAVY DUTY BROOM - WITH SCRAPER

CARLISLE



- 24" attached steel blade scrapes and breaks loose debris.
- Heavy duty 5' x 1-1/8" bolt on handle.
- Stiff safety orange plastic bristles, 24" long.
- Steel, wide angle brace.

ORDER #	BRISTLE	PKG.	UNIT
7395	4-1/2" TRIM	3	EACH

HEAVY DUTY FLAGGED TIP BROOM - WITH SCRAPER

CARLISLE



- 24" attached steel blade scrapes and breaks loose debris.
- Heavy duty 5' x 1-1/8" bolt on handle.
- Flagged tip bristles for finer sweeping, 24" long.
- Steel, wide angle brace.

ORDER #	BRISTLE	PKG.	UNIT
7396	4-1/2" TRIM	3	EACH

OMNISWEEP DUAL-BRISTLE BROOM



CARLISLE

· 24", dual bristle push broom.

ORDER #	PKG.	UNIT
41881-00	12	EACH

FIBERGLASS BROOM HANDLE



CARLISLE

· 60" threaded fiberglass handle.
· 1" diameter, flex tip.

ORDER #	LENGTH	COLOR	PKG	UNIT
40225-14	60"	BLUE	12	EACH

BROOM DISPLAY ASSORTMENT

CARLISLE

· BD1 contents: (4 ea.) - 7394, 7382, 7386
(3 ea.) - 7395
(1 ea.) - Display rack

ORDER #	SET INCLUDES	PKG.	UNIT
PCB-RACK	BROOM DISPLAY RACK	1	EACH

This is a comprehensive catalog of our major stock lines but it does not show all available product lines. If there is something you need that is not shown, we may be able to order it. Please call and we will do all we can to help. More products are also available online at www.thehardwarehut.com.

DOUBLE-EDGE EDGEBANDING TRIMMER

PRACTICAL PRODUCTS CO.



- Duplicate blades on both sides will flush or bevel trim panels from 1/2" to 1-1/2" thick.
- One side can be used alone as a single-sided trimmer.

ORDER #	DESCRIPTION	PKG.	UNIT
ET-100	TRIMMER	1	EACH
ET-100RP	REP.BLADES	1	SET

SINGLE SIDE EDGE EDGE TRIMMER

PRACTICAL PRODUCTS CO.



- Trims PVC, ABS, polyester and all other types of soft edgebanding material.
- Straight cutting blade for flush trimming; will cut in either direction.
- 3-5/16" long.

ORDER #	PKG.	UNIT
ET-6	12	EACH

ACCUSCRIBE

FastCap



- Scribe trim, moldings, countertops, splash guards, tile, and flooring.

ORDER #	DESCRIPTION	PKG.	UNIT
ACCUSCRIBE	SCRIBE TOOL	1	EACH

SPEEDROLLER

FastCap




- For applying any pressure-sensitive product.

ORDER #	PKG.	UNIT
SPEEDROLLER	1	EACH

"J" ROLLER

PRACTICAL PRODUCTS CO.



- 3" Rubber Roller
- 12" long handle.

ORDER #	SIZE	PKG.	UNIT
JR-78C	3"W x 12"L	1	EACH

EXTENSION ROLLER

PRACTICAL PRODUCTS CO.




- Three 2-1/4" rollers.
- Twist-lock adjustable handle.

ORDER #	LENGTH	PKG.	UNIT
ER-333	18" - 27"	10	EACH

EDGE SQUEEZE ROLLER

PRACTICAL PRODUCTS CO.




- Lever action roller puts pressure on the laminate at the edges.
- Use for correcting the occasional edge-lift problem.
- Firm plastic rollers.

ORDER #	SIZE	PKG.	UNIT
SR-79B	12"	10	EACH

HAND EDGEBANDING IRON

PRACTICAL PRODUCTS CO.



- 110V, 165W.
- To apply preglued edgebanding.
- 11" long handle.
- Adjusts for temperatures from 200°F to 500°F.

ORDER #	SIZE	PKG.	UNIT
HE-160	1-5/8" x 4"	1	EACH

EQUALIZER EDGE BANDER



- The Equalizer is a true Hot-Melt edgebander designed with Siemens temperature management technology that enables the machine to reach bonding temperature in under 20 minutes.
- The top-mounted status light lets the operator know what stages of operation the Equalizer is in at all times.
- The Equalizer uses a quick-change, automatically fed glue pot that applies glue to the surface of the material as it passes. This machine uses conventional hot melt glue pellets for all edgebanding including veneer, vertical grade laminate and up to 1.5 mm PVC and handles banding up to 1" in width.
- Ships with a Hand trimmer and supply of Canplast glue pellets. We recommend using Canplast, Dorus or Jowat medium viscosity general purpose glue pellets; just don't mix the brands!

Technical Specs:

- Power: 110 VAC, 20 Amp Circuit
- Air Supply: 80 PSI minimum, 150 PSI maximum
- Banding Material Width: up to 1"
- Banding Material Thickness: up to 1.5mm
- Banding Material Bend Radius: up to 1.25"
- Maximum Stock Width: 7/8"



ORDER #	DESCRIPTION	PKG.	UNIT
EQ	EDGE BANDER	1	EACH

TSM-21 POCKET CUTTER



- The TSM-21 cuts the patented 6 degree Castle Pocket.
- Highly useful for everything from drawer box assembly to face frame construction.
- The TSM-21 clamps the stock, routs a pocket, and drills a pilot hole with a tap of the foot pedal.
- Free of splinters and sawdust so the material is ready for construction.
- Extremely durable and designed for use by professional woodworkers.

Technical Specs

- Router - Porter Cable 1.5hp #6902
- Router Bit - Premium 3/8" Solid Carbide, Rough Mill
- Drill - Porter Cable Trimmer Motor #7301
- Drill Bit - 9/64" Brad and Spur Premium TiN Coated Bit
- Power Req - 110 VAC, 15 amps
- Air Req - 1 cfm at 85 psi



ORDER #	DESCRIPTION	PKG.	UNIT
TSM-21	POCKET CUTTER	1	EACH

AT-5 BASIC ASSEMBLY TABLE



- The AT-5 Basic Series is built using the same sturdy construction of our Open Back series. With a footprint of only five feet by four feet, this table takes up 35% less space and meets the space restrictions of even the smallest shop environments. Because of the open fencing system, it can handle face frames of well over six feet. The AT-5 Basic utilizes the one hand clamping system riding on a high precision beam. Simply put, this table sacrifices nothing in materials or workmanship. The space and cost savings make it an easy addition to your shop.



ORDER #	DESCRIPTION	PKG.	UNIT
AT-5	ASSEMBLY TABLE	1	EACH