


## HIGH SPEED STEEL DRILL BITS - JOBBER'S LENGTH



- Ideal for steel, wood & plastic.
- Precision ground; hardened & tempered.
- 118° point for general purpose drilling.
- Sold individually or carded.

(BULK) ORDER #	(CARDED) ORDER#	DIAM.	O/A LENGTH	FLUTE LENGTH	PKG.	UNIT
10102	-	1/32"	1-3/8"	1/2"	10	EACH
10103	-	3/64"	1-3/4"	3/4"	10	EACH
10104	10192 (2/CD)	1/16"	1-7/8"	7/8"	10	EACH
10105	10193 (2/CD)	5/64"	2"	1"	10	EACH
10106	10194 (2/CD)	3/32"	2-1/4"	1-1/4"	10	EACH
10107	10195 (2/CD)	7/64"	2-5/8"	1-1/2"	10	EACH
10108	10196 (2/CD)	1/8"	2-3/4"	1-5/8"	10	EACH
10109	10209 (1/CD)	9/64"	2-7/8"	1-3/4"	10	EACH
10110	10210 (1/CD)	5/32"	3-1/8"	2"	10	EACH
10111	10211 (1/CD)	11/64"	3-1/4"	2-1/8"	10	EACH
10112	10212 (1/CD)	3/16"	3-1/2"	2-5/16"	10	EACH
10113	10213 (1/CD)	13/64"	3-5/8"	2-7/16"	10	EACH
10114	10214 (1/CD)	7/32"	3-3/4"	2-1/2"	10	EACH
10115	10215 (1/CD)	15/64"	3-7/8"	2-5/8"	10	EACH
10116	10216 (1/CD)	1/4"	4"	2-3/4"	10	EACH
10118	10218 (1/CD)	9/32"	4-1/4"	2-15/16"	3	EACH
-	10219 (1/CD)	19/64"	4-3/8"	3-1/16"	3	EACH
10120	10220 (1/CD)	5/16"	4-1/2"	3-3/16"	3	EACH
-	10222 (1/CD)	11/32"	4-3/4"	3-7/16"	3	EACH
10124	10224 (1/CD)	3/8"	5"	3-5/8"	3	EACH
10125	10225 (1/CD)	25/64"	5-1/8"	3-3/4"	3	EACH
10132	-	1/2"	6"	4-1/2"	3	EACH

## HIGH SPEED STEEL DRILL BIT SET - 13 PIECE



- 13 Bits Included: 1/16"-1/4" by 64ths.
- Metal index set.

ORDER#	PKG.	UNIT
60136	5	SET

## CONFIRMAT "STEP" DRILL BIT




- 5-3/4" length.
- Size: 5mm > 7mm > 10mm.

ORDER#	SIZE	PKG.	UNIT
12793	5-3/4"L	1	EACH

**New items are always being added.  
Please call us if you need an item not listed.**

## ROTARY PERCUSSION HAMMER DRILL BITS - CARBIDE TIPPED, INDUSTRIAL DUTY



- Ideal for rotary percussion drills & standard rotary drills.
- Faster drilling through concrete & masonry aggregates, brick, tile & slate.

(CARDED) ORDER#	NOMINA DIAM.	SHANK DIAM.	O/A LENGTH	FLUTE LENGTH	PKG.	UNIT
14104	1/4"	1/4"	6"	3-1/2"	5	EACH
14106	3/8"	1/4"	6"	3-1/2"	3	EACH
14109	1/2"	3/8"	6"	3-1/2"	3	EACH


## SPEEDBOR® 2000™ WOOD BORING BITS



- Forged in one piece.
- Bores 2 times faster, lasts 3 times longer.
- 6 per case, sold individually.

ORDER#	SIZE	ORDER#	SIZE
88808	1/2"	88816	1"
88809	9/16"	88818	1-1/8"
88810	5/8"	88822	1-3/8"
88812	3/4"	88824	1-1/2"
88814	7/8"		

## SPEEDBOR® 2000™ POUCHED SET



- Pouched set contains: (1ea.) - 3/8", 1/2", 5/8", 3/4", 7/8", 1" bits.

ORDER#	# OF BITS	PKG.	UNIT
88899	6	6	SET


## LOCK-N-LOAD™ QUICK CHANGE EXTENSIONS



- 1/4" hex extension.
- Slim diameter chuck & extensions pass through 5/8" holes.

ORDER#	SIZE	PKG.	UNIT
90106	6" EXTENSION	6	EACH

## SCREW PILOTS



- For countersinking & counterboring in one step.

ORDER#	FOR SCREW SIZES	PKG.	UNIT
16606	#6	5	EACH
16608	#8	5	EACH
16610	#10	5	EACH

Our inside and outside sales staff is available to assist you with whatever your needs may be.

## BRAD POINT DRILL BIT - PRECISION GROUND WOOD BIT

**IRWIN**



- Spur cutting edges reduce splintering and ensure a smooth, clean hole

ORDER#	DIAM.	O/A LENGTH	SHANK	PKG.	UNIT
49613	3/16"	3-7/16"	1-3/8"	1	EACH
49614	1/4"	4-1/16"	1-1/2"	1	EACH
49616	3/8"	5-5/16"	1-11/16"	1	EACH

## HINGE BORING BITS, CARBIDE TIPPED

**BOSCH**



- Includes centering point & outside scoring tips.
- 10mm shank with locking flat & adj. tip screw.
- 36mm boring depth; 57mm overall length.

ORDER#	SIZE	ROTATION	PKG.	UNIT
T15005	5MM	RIGHT	1	EACH
T15015	5MM	LEFT	1	EACH
T15008	8MM	RIGHT	1	EACH
T15018	8MM	LEFT	1	EACH

## HINGE BORING BITS, CARBIDE TIPPED

**BOSCH**



- 57mm overall length.
- NOT for use with 3 jawed chucks.
- Includes centering point, 2 outside scoring teeth & 2 straight cutting teeth.
- 10mm shank with locking flat & adj. top screw.

ORDER#	SIZE	ROTATION	PKG.	UNIT
T15025	25MM	RIGHT	1	EACH
T15035	35MM	RIGHT	1	EACH
T15040	40MM	RIGHT	1	EACH

## ECONOMY HINGE CUP BORING BIT - TITANIUM NITRATE COATED

**MEPLA ALFIT**  
Fast the motion!



- Cuts clean smooth holes for cup hinges.
- Titanium lasts up to 6 times longer and provides faster penetration.
- Use in soft or hard woods.

ORDER#	DIAM.	PKG.	UNIT
499-335-60-0000	35MM	1	EACH

## EURO HINGE TEMPLATE & BIT KIT



- The Laurey Perfect Mount Template is an alignment template designed to make easy installation of European concealed hinges.
- Kit includes high-speed 35mm forstner bit and alignment template.
- Works with most major European concealed hinge manufacturers such as Salice, Mepla, Grass & Blum.

**laurey**

ORDER#	DESCRIPTION	PKG.	UNIT
98301	BIT & JIG KIT	1	EACH


**SHS - One complete source for all of your finish hardware needs.**

## TAPER POINT BIT & COUNTERSINK SET

- Drill, countersink & counterbore in one quick operation.
- Used to cut woods and plastics for head of wood screws.
- Countersinks mount on taper point drill; stop collar mounts on countersink for proper depth.

### SET CONTENTS

- Countersinks C5, C6, C7, C8 & C913
- Taper point drills 1/8", 9/64", 5/32", 11/64" & 13/64".
- Recommended Screw Sizes: #5, #6, #7, #8, & #10.
- 3/8" Plug cutter.
- 3/8" Stop collar to control depth.
- Hex key.
- Cardboard container with foam insert.



*Fuller*

ORDER#	PKG.	UNIT
10390006	1	SET

## INDIVIDUAL COMPONENTS

### - HIGH SPEED STEEL TAPER POINT DRILLS - ROUND SHANK

*Fuller*

- Used to cut wood & plastic in one operation for the thread and shank of wood screws.



ORDER#	DRILL DIA.	WOOD SCREW SIZE	FLUTE LENGTH	OVERALL LENGTH	PKG.	UNIT
20100125	7/64"	#5	1-5/8"	2-3/4"	1	EACH
20100140	9/64"	#6	1-3/4"	2-7/8"	1	EACH
20100156	5/32"	#7	2"	3-1/8"	1	EACH
20100171	11/64"	#8	2-1/8"	3-1/4"	1	EACH
20100187	3/16"	#9	2-5/16"	3-1/2"	1	EACH
20100250	1/4"	#14	2-3/4"	4"	1	EACH

### - HEX SHANK TAPER POINT DRILLS with TPS-LOCK® SYSTEM

*Fuller*

- Professional High Speed Steel Taper Point Drills with 1/4" Hex Power Shanks.
- **TPS-Lock®** System provides positive drive and **will not release** the drill until you are ready to take it apart.



ORDER#	DRILL DIA.	WOOD SCREW SIZE	PKG.	UNIT
20140125	1/8"	#5	1	EACH
20140140	9/64"	#6	1	EACH
20140156	5/32"	#7	1	EACH
20140187	3/16"	#9	1	EACH
20100250	1/4"	#14	1	EACH

### - 82° COUNTERSINKS

*Fuller*



**NOTE:** can also be mounted on ordinary straight twist drills allowing the screw thread to cut its own hole or by using correct pilot drill size for root diameter of thread allowing shank of screw to force its way into the wood.

- Countersink held in place with two hex-socket screws and is easily adjustable up and down the drill so only one countersink and one length of drill is required for any length of wood screw.
- Countersinks shown mounted on a taper point drill with stop collar.

ORDER#	CUTTING DIA.	WOOD SCREW SIZE	DRILL HOLE SIZE	OVERALL LENGTH	PKG.	UNIT
C5	3/8"	#5	1/8"	7/8"	1	EACH
C6	3/8"	#6	9/64"	7/8"	1	EACH
C7	3/8"	#7	5/32"	7/8"	1	EACH
C8	3/8"	#8	11/64"	7/8"	1	EACH
C9	3/8"	#8	3/16"	7/8"	1	EACH
C14	1/2"	-	1/4"	7/8"	1	EACH

## INDIVIDUAL COMPONENTS

### - STOP COLLAR

*Fuller*



- Designed to be used with the Fuller countersinks & counterbores.
- These steel collars are held solidly in place with two set screws, controls depth of counterbores.
- The inside diameter of the stop collar fits the outside diameter of the countersink or counterbores.

ORDER#	INSIDE DIA.	PKG.	UNIT
11900375	3/8"	1	EACH
11900500	1/2"	1	EACH

### - PLUG CUTTER

*Fuller*



- Four-bladed plug cutters.
- Designed for clean cutting and hardened for long life.
- Does not eject the plugs, plugs remain in the board & may be removed with a screwdriver or the board can be sawed to free the plug.

ORDER#	PLUG SIZE	MAX. LENGTH	SHANK DIA.	PKG.	UNIT
11660375	3/8"	1/2"	3/8"	1	EACH
11660500	1/2"	1/2"	3/8"	1	EACH

### - HEX KEY

*Fuller*



- Allen wrench for the set screws on the counter sinks & counter sink stop collars.

ORDER#	SIZE	PKG.	UNIT
K0093	3/32"	1	EACH

### - 82° HIGH SPEED STEEL REAMER

*Fuller*



- 3 flutes.

ORDER#	CUTTING DIA.	SHANK DIA.	SHANK LENGTH	OVERALL LENGTH	PKG.	UNIT
040050002	1/2"	3/8"	1"	2"	1	EACH

## SELF-CENTERING BITS

*Fuller*





- Speedy, accurate drilling with Self-Centering Drill Guides
- Quick-connect 1/4" hex shank.
- Accurately drill holes for hinges, window latches or any hardware using screws.

ORDER #	SIZE	FOR SCREW SIZES	PKG.	UNIT
73200140	9/64"	#9	10	EACH
73200109	7/64"	#5 & #6	10	EACH

## SELF-CENTERING VIX-BITS™

**VIX-BIT**



- Drills wood, metal plastic, etc.
- Hardened drill guide; Adjustable for depth.
- Accurately drill holes for hinges, window latches or any hardware using screws
- NOTE: #12 for use on commercial hinge screws.

ORDER #	SIZE	FOR SCREW SIZES	PKG.	UNIT
#5	7/64"	5 & 6	10	EACH
#9	9/64"	8, 9 & 10	10	EACH
#12	11/64"	12	10	EACH

Shelf/Closet Hardware


Fasteners

**Screwdriver Bits**

Builders Hardware

Bathroom Furnishings

## INSERT BITS - PHILLIPS HEAD



**HANSON®**


ORDER#	SIZE	TYPE	LENGTH	PKG.	UNIT
92047	#2	PHILLIPS REDUCED	1"	25	EACH
92011	#2	PHILLIPS	1"	25	EACH
93017	#1	PHILLIPS	2"	25	EACH
93067	#2	PHILLIPS	6"	10	EACH
92053	#2	PHILLIPS REDUCED	2"	25	EACH

## INSERT BITS



ORDER#	SIZE	TYPE	LENGTH	PKG.	UNIT
11759	#2	PHILLIPS REDUCED	1"	10	EACH
11769	#2	POZI	1"	10	EACH
11774	#1	SQUARE DR.	1"	10	EACH
11778	#2	SQUARE DR.	1"	10	EACH
11910	#2	POZI REDUCED	1"	10	EACH
11918	#3	SQUARE DR.	1"	10	EACH
13156	#2	SQUARE DR.	6"	10	EACH

## INSERT BITS - PHILLIPS HEAD




**BOSCH**   
Power Tools & Accessories

- 1/4" hex.
- 10/card.

ORDER#	O/A LENGTH	POINT SIZE	PKG.	UNIT
T2431	1"	#1	10	CARD
T2432	1"	#2	10	CARD
T2433	1"	#2	10	CARD


## INSERT BITS - SQUARE DRIVE



**HANSON®**

ORDER#	O/A LENGTH	POINT SIZE	PKG.	UNIT
92205	1"	R2	10	EACH
93205	2"	R2	10	EACH

## ISO-TEMP<sup>®</sup>™ POWER SCREWDRIVER BIT (CARDED)



16432



16462



- Super-toughened, industrial-duty power bits.
- Outlast professional all-hard bits up to 6 times.
- 1/4" hex shank w/ power groove fits all power screwdrivers & variable speed drills.


ORDER#	SIZE	TYPE	LENGTH	PKG.	UNIT
16432	#2	PHILLIPS	1-15/16"	5	EACH
16462	#2	RED. PHILLIPS DRYWALL (25/BG)	1"	1	BAG

## MAGNETIC POWER SCREWDRIVER BIT



ORDER #	DRIVE	LENGTH	PKG.	UNIT
12690	PHIL. #2	1-15/16"	10	EACH
12692	PHIL. #2	3-1/2"	10	EACH
12694	PHIL. #2	6"	10	EACH
12695	SQ. #2	1-15/16"	10	EACH
12697	SQ. #2	3-1/2"	10	EACH
12698	SQ. #2	6"	10	EACH


## MAGNETIC INSERT BIT HOLDERS



**HANSON®**

ORDER #	SHANK	LENGTH	PKG.	UNIT
93718	1/4" HEX	2-31/32"	10	EACH

## TWO-PIECE, C-RING, MAGNETIC BIT HOLDER



ORDER #	SHANK	LENGTH	PKG.	UNIT
11794	1/4" HEX	3"	10	EACH

## MAGNETIC NUT SETTERS





- Universal, 1/4" shanks fit all drills.
- Use for power driving hex head screws, bolts & nuts.

ORDER #	NUT SIZE	SOCKET DIA.	O/A LENGTH	PKG.	UNIT
15111	1/4"	7/16"	1-5/8"	5	CARD
15112	5/16"	1/2"	1-5/8"	5	CARD

This is a comprehensive catalog of our major stock lines but it does not show all available product lines. If there is something you need that is not shown, we may be able to order it. Please call and we will do all we can to help. More products are also available online at [www.thehardwarehut.com](http://www.thehardwarehut.com).

## BI-METAL HOLE SAWS - BUILT IN ARBOR - (USE WITH #TACPD4 PILOT DRILL)



- Permanently attached arbor with a 4-6 teeth-per-inch variable pitch, positive rake, M-3 bi-metal cutting edge.
- Use with #TACPD4 pilot drills.
- 1 per card.

ORDER #	SIZE	PIPE TAP SIZE	PIPE ENTRANCE SIZE	PKG	UNIT
TAC12	3/4"	-	3/8"	2	EACH
TAC14	7/8"	3/4"	1/2"	2	EACH
TAC32	2"	-	1-1/2"	2	EACH
TAC34	2-1/8"	-	-	2	EACH
TAC40	2-1/2"	-	2"	2	EACH
TAC48	3"	-	2-1/2"	2	EACH
TAC64	4"	-	-	10	EACH
TACPD4	PILOT BIT - 4-1/2" x 1/4"				

## MARATHON® THIN KERF CIRCULAR SAW BLADES - CARBIDE TIPPED



- For wood - framing/ripping.
- Popular all-purpose blade for ripping and crosscut.
- Ideal blade for house framing.
- Alternate top bevel grind.

ORDER #	DIAM.	TEETH	ARBOR	KERF	PKG.	UNIT
24030	7-1/4"	24	UNIV.	.067"	5	EACH


## MARATHON® SILICON COATED THIN KERF BLADE - CARBIDE TIPPED



- Silicone coated.
- For applications in pressure treated lumber.
- Blades to slice easier through material reducing pitch and resin build-up.

ORDER #	DIAM.	TEETH	ARBOR	KERF	PKG.	UNIT
14031	7-1/4"	40	UNIV.	.067"	5	EACH
14070	10"	36	RD.	.084"	5	EACH

## CUTOFF/RIP BLADE - KROME KING®



- Combination blade for all-purpose cutting.
- Crosscuts, rips and miters all woods at moderate cutting speed and smoothness of cut.
- Diamond arbor: 13/16".

ORDER #	DIAM.	TEETH	ARBOR	MAX. RPM	PKG.	UNIT
25230	7-1/4"	-	5/8"	5700	1	EACH

## SMOOTH-CUT COMBINATION BLADES - PROFESSIONAL, CARBIDE-TIPPED



- Fastest & most free-cutting combination blade style for all woods.
- Designed for fast cutting, rip, cutoff & miters with portable saw where extra smooth finish is not needed.
- Diamond arbor: 13/16".

ORDER #	DIAM.	TEETH	ARBOR	MAX. RPM	PKG.	UNIT
27257	12"	40	5/8"	3500	1	EACH

## T-SHANK WOOD CUTTING BLADES



SHANK STYLE

· Bosch has designed a blade for every cutting application in wood, plywood, particleboard and laminated board. Whether you are looking for splinter-free operation, smooth curves, speed or rough cuts, Bosch has designed the right tooth configuration for the job.



	ORDER #	LENGTH	TEETH PER INCH	BLADE MATERIAL	RECOMMENDED APPLICATION		
					WOOD	METAL	OTHER
	T234X	4-1/2"	PROG.	HCS	Hard/soft material 3/16"-3-1/8"	-	-
	T101AO	3"	20	HCS	Fine Finishing Wood, Plywood, Veneers	Scroll, Curve Cuts	Laminates, Plastics
	T101B	4"	10	Ground HCS	Very Clean Cut	-	Plastics
	T101BF	4"	10	Bi-Metal	Clean Cut	Non-Ferrous	Reinforced Plastics
	T101BR	4"	10	Ground HCS	Down Cut, No Top Splintering	-	Laminates, Plastics
	T101D	4"	6	Ground HCS	Fast Clean Cut	-	Plastics
	T111C	4"	8	Side-set HCS	Medium, Rough Cut to 2-3/8"	Non-Ferrous	Straight Rough Cuts in Plastics
	T119BO	3"	12	Wavy HCS	Scroll Cut	-	Curve Cuts in Plastics
	T144D	4"	6	Side-set Ground HCS	Fast, Rough Cut to 2-3/8"	-	-
	T144DF	4"	6	Bi-Metal	Fast Rough Cut and Nail Imbedded	-	Particle/Fiber board
	T301CD	4-5/8"	8	Ground HCS	Fast, Clean Parallel Cuts	-	Straight Cuts in Plastics
	T344D	6"	6	Ground HCS	Fast, Rough Cut	-	-

## UNIVERSAL SHANK WOOD CUTTING BLADES



SHANK STYLE

· For all Jigsaws using Universal Shank blades.



	ORDER #	LENGTH	TEETH PER INCH	BLADE MATERIAL	RECOMMENDED APPLICATION		
					WOOD	METAL	OTHER
	U101BR	4"	10	Ground HCS	Plywood, Hard/Soft Wood Materials	-	Plastics, Laminated Particleboard 3/16"-1-1/4"
	U19BO	2-3/4"	14	Wavy Set HCS	Plywood, Hard/Soft Wood Materials	-	Plastics, Laminated Particleboard 3/16"-1-1/4"
	U101B	4"	10	Taper Ground HCS	Plywood, Hard/Soft Wood Materials	-	Plastics, Laminated Particleboard 3/16"-1-1/4"
	U101BF	4"	10	Ground BIM	Plywood		Plastics, Fiberboard, Laminated Particleboard, Fiberglass 3/16"-5/8"
	U101DF	4"	6	Ground BIM	Plywood		Plastics, Fiberboard, Laminated Particleboard, Fiberglass 1/4"-3/4"

## UNIVERSAL SHANK WOOD CUTTING BLADES



- Made from premium steel, precision-filed and set for maximum cutting performance.
- All-purpose and specialty blades to handle most cutting jobs.




1/4" SHANK

	ORDER #	LENGTH	TEETH PER INCH	TEETH PITCH (mm)	RECOMMENDED APPLICATION		
					WOOD	METAL	OTHER
	30016	3-1/8"	10	2.5	Smooth, Fast Cuts	Non-Ferrous Metals	Plastics, Laminates
	30018	3-1/8"	12	2	Up to 1" thick	-	Paneling, Laminates
	30015	2-3/4"	12	2	1/8"-1/2" Wood, Hardboard	Less than 1/8" Non-Ferrous	-

## WOOD CUTTING BLADE SET



- Standard jigsaw blade sets, 1/4" shank.
- 5 blades per set.



ORDER #	# OF BLADES	SHANK SIZE	ORDER# OF BLADES INCLUDED
30034	5	1/4"	30012, 30013, 30015, 30026, 30030

## T-SHANK METAL CUTTING BLADES



- For all cutting applications in metal, sheet metal, non-ferrous metal and aluminum.
- Ideal for cutting thin or thick material, curves, straight lines or fast cuts.



SHANK STYLE

	ORDER #	LENGTH	TEETH PER INCH	Blade Material	RECOMMENDED APPLICATION		
					WOOD	METAL	OTHER
	T101A	4"	14	Ground HSS	-	Metal, non-ferrous	Plexiglass 5/64"-3/4"
	T118A	3"	24	Wavy HSS	-	Metal, non-ferrous, sheet metal 1/16"-1/8"	-
	T118AF	3"	24	Wavy BIM	-	Straight, metal, non-ferrous, sheet metal	Plexiglass 1/16"-1/8"
	T118B	3"	14	Wavy HSS	-	Metal, non-ferrous, aluminum 1/8"-1/4"	-
	T345XF	5-1/4"	Prog.	Ground HCS	Wood, particleboard	Metal 1/8"-3/8", non-ferrous, aluminum	Plastics 5/64"-1-1/4"
	T318B	5-1/4"	14	Side Set HSS	-	Metal, non-ferrous, aluminum 5/64"-5/16"	Sandwich materials 5/64"-3-1/8"

## RECIPROCATING SAW BLADES



- 1 bi-metal blade/cd.



1/2" UNIVERSAL SHANK

	ORDER #	LENGTH	TPI	Teeth Pitch (mm)	RECOMMENDED APPLICATION		
					WOOD	METAL	OTHER
	30130	6"	6	4	General	-	-
	30133	9"	3	8.5	General	-	-